



# Sarex Chemicals

(A Divn. Of Saraf Chemicals Pvt. Ltd.)

501 Waterford, C Wing, C.D.Barfiwala Marg(Juhu Lane), Andheri(W),Mumbai 400 058. INDIA

Phone +91 22 42184218 Fax +91 22 42184350

Email tcmktg@sarex.com URL www.sarex.com

## PRODUCT LITERATURE

### CARESOFT-809 (CONC)

#### Product Information

Caresoft-809(Conc) is a new generation hydrophilic silicone softner. Caresoft-809(Conc) imparts excellent softness and good absorbency on treated substrates. Caresoft-809(Conc) is used for cotton, polyester and their blends such as towels, yarn dyed shirting, knits and bottom weight fabrics.

#### Key Features & Benefits

Key Features	Benefits
Hydrophilic	Imparts excellent softness and good absorbency and redyeing is possible
Shear stable	Can be used on soft flow machines and garment washing machines
Very good evaporation rate & improved wicking	Can be used for moisture management finish

#### General Characteristics

Physical appearance	: Colourless to light yellow viscous liquid
Ionic nature	: Nonionic to weakly cationic
pH of 1% solution	: 4 +/- 1
Miscibility	: Miscible with water
Compatibility	: Compatible with cationic and nonionic products
Stability	: Stable to dilute acids and dilute alkalies

#### Application

Padding Process	Exhaust Process
Dosage* : 5-15 g/l	Dosage* : 0.5-1.5%
Pick-up : 65-70%	Bath pH : 5.0-6.0
Bath pH : 5.0-6.0	Bath Temp. : 30-40 deg.C
Drying : 130-160 deg.C	Time : 20-30 mins.

\* Dosages recommended are based on the concentrated product's strength.



# Sarex Chemicals

(A Divn. Of Saraf Chemicals Pvt. Ltd.)

501 Waterford, C Wing, C.D.Barfiwala Marg(Juhu Lane), Andheri(W),Mumbai 400 058. INDIA

Phone +91 22 42184218 Fax +91 22 42184350

Email tcmktg@sarex.com URL www.sarex.com

## PRODUCT LITERATURE

### CARESOFT-809 (CONC)

Dosages of diluted product to be calculated on the basis of solid content.

Note:- pH of bath should not exceed 6.5 (pH of bath should be acidic)

#### Instructions For Dilution

Procedure to prepare 20% diluted product of 60% Caresoft-809 (Conc)

- Take 1 part of Caresoft-809 (Conc)
- To this, add 2 parts of DM water
- Stir at 200-300 rpm with normal stirrer for 30-45 mins to obtain homogeneous product.

Preservation :

-----

It is recommended to add 0.1% Bronopol (2-Bromo, 2-nitropropane,1,3-diol) or Methyl Paraben (methyl para hydroxy benzoate) as an antimicrobial agent to avoid fungal / microbial growth.

Note:

----

- If diluted product is slightly hazy add 1-2% Butyl diglycol or Butyl Cellosolve.
- pH of final dilution should be adjusted to 5.0 g/l with acetic acid.

#### Precautions

Storage : Store in cool, ventilated shed away from heat and direct sunlight. Storage temperature should not exceed 35 deg C. Close lids firmly to avoid contact with air and moisture.

Shelf Life : 8 months from the date of manufacturing, if stored under controlled conditions.



# Sarex Chemicals

(A Divn. Of Saraf Chemicals Pvt. Ltd.)

501 Waterford, C Wing, C.D.Barfiwala Marg(Juhu Lane), Andheri(W),Mumbai 400 058. INDIA

**Phone** +91 22 42184218      **Fax** +91 22 42184350

**Email** [tcmktg@sarex.com](mailto:tcmktg@sarex.com)      **URL** [www.sarex.com](http://www.sarex.com)

## PRODUCT LITERATURE

### CARESOFT-809 (CONC)

[The above information is given in good faith and is without warranty]  
[ Prod.Code :PC391 | Last Upd. On : 01/06/18 ] [PP]

This is a computer generated report. Hence not signed.