



Sarex Chemicals

(A Divn. Of Saraf Chemicals Pvt. Ltd.)

501 Waterford, C Wing, C.D.Barfiwala Marg(Juhu Lane), Andheri(W),Mumbai 400 058. INDIA

Phone +91 22 42184218 Fax +91 22 42184350

Email : tcmktg@sarex.com URL www.sarex.com

PRODUCT LITERATURE

CELLED-ET-R

Product Information

Celldet-R is an ultra low foaming, solvent free, APEO free wetting cum detergent for cellulosic, other natural and synthetic fibers and their blends. Due to its ultra low foaming characteristics, the product is suitable for jet dyeing machine even at low liquor ratio. The product is also suitable for high temperature scouring, combined scouring and bleaching and washing-off agent. Celldet-R confers good rewetting properties to the fabric scoured with it.

Key Features & Benefits

Key Features

Ultra low foaming, wetting agent and detergent

Powerful emulsifying action

Stable to high temperature

Benefits

Suitable for soft flow and jet dyeing machines

Excellent removal of fats, waxes and oils thereby ensuring uniform absorbency

Suitable for high temperature scouring, bleaching and high temperature combined scouring and bleaching.

General Characteristics

Physical appearance : Colourless liquid

Ionic nature : Non-ionic

pH of 1% solution : 6 +/- 1

Miscibility : Easily miscible with water

Compatibility : Compatible with cationic, anionic and non-ionic products

Stability : Stable to dilute acids and dilute alkalies

Application

1. Combined Scouring and Bleaching

Celldet-R : 0.4-0.7%

Caustic soda flakes : 2-3%



Sarex Chemicals

(A Divn. Of Saraf Chemicals Pvt. Ltd.)

501 Waterford, C Wing, C.D.Barfiwala Marg(Juhu Lane), Andheri(W),Mumbai 400 058. INDIA

Phone +91 22 42184218 Fax +91 22 42184350

Email : tcmktg@sarex.com URL www.sarex.com

PRODUCT LITERATURE

CELLEDT-R

H2O2 50% : 3-8%
Saraquest 2UD : 0.5-1% (optional)
Sarastabil-MRS : 0.3-1.2%
Saracreeze (Conc) : 1%
(1:60 diluted)
Temperature : 98 deg.C, 45-60 min OR
: 110 deg.C, 15-30 min.
MLR : 1:4 to 1:10

2. For Washing-off process (After dyeing)

-
- Load the fabric with 0.4 g/l Saragen-SO
 - Run at room temperature for 20 min
 - Adjust the pH 6.0-6.5 with Acetic acid
 - Raise temperature to 60 deg.C and add 0.3-0.5 g/l Celldet-R
 - Run for 20 min
 - Hot wash 1 - 95 deg.C, 15 min
 - Hot wash 2 - 70 deg.C, 15 min
 - Cold wash - 10 min : (twice)

Note:

-
- Lower concentration is for RFD, while higher concentration is for full white fabrics.
 - Fill water in the machine. Add Celldet-R followed by addition of Saracreeze Conc. Load fabric at 50 rpm speed (30% rpm of original rpm of running batch). Run for 10 minutes (3 cycles) and then add bleaching auxiliaries.

Instructions For Dilution

Celldet-R to be used as is.

Celldet-R has a tendency to become hazy below 10 deg.C. Stir well and use.

Precautions

Storage : Store in cool, ventilated shed away from heat and direct sunlight. Storage temperature should not exceed 35 deg C. Close lids firmly to avoid contact with air and moisture.

Shelf Life : 8 months from the date of manufacturing, if



Sarex Chemicals

(A Divn. Of Saraf Chemicals Pvt. Ltd.)

501 Waterford, C Wing, C.D.Barfiwala Marg(Juhu Lane), Andheri(W),Mumbai 400 058. INDIA

Phone +91 22 42184218

Fax +91 22 42184350

Email : tcmktg@sarex.com

URL www.sarex.com

PRODUCT LITERATURE

CELLDET-R

stored under controlled conditions.

[The above information is given in good faith and is without warranty]
[Prod.Code :PC135 | Last Upd. On : 27/02/17] [MOLL]

This is a computer generated report. Hence not signed.