



Sarex Chemicals

(A Divn. Of Saraf Chemicals Pvt. Ltd.)

501 Waterford, C Wing, C.D.Barfiwala Marg(Juhu Lane), Andheri(W),Mumbai 400 058. INDIA

Phone: +91 22 42184218

Fax : +91 22 42184350

Email : tcmtkg@sarex.com

URL : www.sarex.com

PRODUCT LITERATURE

SARAWHITE-MST.

Product Information

Sarawhite-MST. is a fluorescent whitening agent with bluish violet tone for cellulosic fibres and their blends. It is most suitable for continuous processes as there is no tailing and it has excellent leveling properties. Sarawhite-MST. can also be applied with anionic finishing agents or with crosslinking agents.

Key Features & Benefits

Key Features

Low affinity

Good stability to crosslinking agent

pH stability

Benefits

Applied by padding application

Can be used with resin

Stable to pH 5 to 9

General Characteristics

Physical appearance : Pale yellow to reddish yellow liquid

Ionic nature : Anionic

pH of 1% solution : 8.5 +/- 1

Miscibility : Miscible with water

Compatibility : Compatible with anionic and non-ionic products

Stability : Stable to dilute acids and dilute alkalies

Application

Continuous/Padding process:

Dosage : 10-25 g/l (depending on substrate quality)

Pick-up : 65-70%

Bath pH : 5.0-6.0

Drying : 140-160 deg.C, 4-5 min. with cross-linking agent



Sarex Chemicals

(A Divn. Of Saraf Chemicals Pvt. Ltd.)

501 Waterford, C Wing, C.D.Barfiwala Marg(Juhu Lane), Andheri(W),Mumbai 400 058. INDIA

Phone: +91 22 42184218

Fax : +91 22 42184350

Email : tomktg@sarex.com

URL : www.sarex.com

PRODUCT LITERATURE

SARAWHITE-MST.

STABILITY & FASTNESS PROPERTIES:

Stability to	Remarks
Peroxide bleach	Stable
Reduction bleach (hydro sulphite based)	Stable
Chlorite bleach	Unstable
Chlorine bleach	Unstable
Hard water	Stable
pH	<1

Fastness properties	Methods	Change in degree of whiteness
Light fastness	ISO 105-B02	3-4
Wash fastness, 60 deg.C	ISO 105-C06 C1	3-4
Wash fastness, 90 deg.C	ISO 105-C06 E1	2-3
Dry heat fixation, 180 deg.C	ISO 105-P01	5
Perspiration, acidic	ISO 105-E04	5
Perspiration, alkaline	ISO 105-E04	5
Dry Cleaning	----	5
Chlorite bleach	----	1
Chlorine bleach	----	4-5

Precautions

Storage : Store in cool, ventilated shed away from heat and direct sunlight.Storage temperature should not exceed 35 deg C.Close lids firmly to avoid contact with air and moisture.

Shelf Life : 8 months from the date of manufacturing, if stored under controlled conditions.

[The above information is given in good faith and is without warranty]
[Prod.Code :PY700 | Last Upd. On : 08/11/14] [MOLL]

This is a computer generated report. Hence not signed.