



# Sarex Chemicals

(A Divn. Of Saraf Chemicals Pvt. Ltd.)

501 Waterford, C Wing, C.D.Barfiwala Marg(Juhu Lane), Andheri(W),Mumbai 400 058. INDIA

Phone: +91 22 42184218

Fax: +91 22 42184350

Email: [tcmtkg@sarex.com](mailto:tcmtkg@sarex.com)

URL: [www.sarex.com](http://www.sarex.com)

## PRODUCT LITERATURE

### SARASOFT-I (CONC)

#### Product Information

Sarasoft-I (Conc) is a specially developed softener for cotton, polyester, wool and their blends. It imparts soft and limpy handle to treated substrate. Sarasoft-I (Conc) can be applied by pad as well as by exhaust application. Thus it is suitable to finish the fabric in any form such as yarns, knits, wovens or even garments.

It does not impair the whiteness or brightness of garments.

#### Key Features & Benefits

##### Key Features

-----

Non-yellowing

Universal softener

Versatile

##### Benefits

-----

Suitable for finishing of whites & pale shades

Single product for finishing cotton, polyester, wool and their blends and garments

Suitable for padding and exhaust in soft flow / jet dyeing machine

#### General Characteristics

Physical appearance : Creamish viscous liquid / paste

Ionic nature : Cationic

pH of 1% solution : 5 +/- 2

Miscibility : Miscible with water

Compatibility : Compatible with cationic and nonionic products

Stability : Stable to dilute acids and unstable to dilute alkalies

#### Application

Exhaust process :

-----

Cotton Yarns / Garments

Dosage : 1-2%



# Sarex Chemicals

(A Divn. Of Saraf Chemicals Pvt. Ltd.)

501 Waterford, C Wing, C.D.Barfiwala Marg(Juhu Lane), Andheri(W),Mumbai 400 058. INDIA

Phone: +91 22 42184218

Fax : +91 22 42184350

Email : tomktg@sarex.com

URL : www.sarex.com

## PRODUCT LITERATURE

### SARASOFT-I (CONC)

Bath pH : 5.0-6.0  
Temp : 30-40 deg.C  
Time : 20-30 mins.

Padding process :

-----  
Dosage : 5-10 g/l  
Sarasoft-EP : 20-30 g/l (Optional)  
Pick-up : 65-70%  
Bath pH : 5.0-6.0  
Drying : 130-160 deg.C

NOte :

- 
1. Before finishing, fabric should be rinsed thoroughly to remove traces of detergents, alkali, salt used in earlier process. This improves the performance of Sarasoft-I (Conc)
  2. Sarasoft-I (Conc) not to be used with pigment printed fabrics or with any finish which is anionic in nature.

### Precautions

Storage : Store in cool, ventilated shed away from heat and direct sunlight.Storage temperature should not exceed 35 deg C.Close lids firmly to avoid contact with air and moisture.

Shelf Life : 8 months from the date of manufacturing, if stored under controlled conditions.

[The above information is given in good faith and is without warranty]  
[ Prod.Code :PS704 | Last Upd. On : 10/10/14 ] [PP]

This is a computer generated report. Hence not signed.