



# Sarex Chemicals

(A Divn. Of Saraf Chemicals Pvt. Ltd.)

501 Waterford, C Wing, C.D.Barfiwala Marg(Juhu Lane), Andheri(W),Mumbai 400 058. INDIA

Phone +91 22 42184218 Fax +91 22 42184350

Email : tcmktg@sarex.com URL www.sarex.com

## PRODUCT LITERATURE

### ARKOLAN-66

#### Product Information

Arkolan-66 is a dye transfer inhibiting or Anti-tinting washing off agent which helps in neutralising the bled colour and prevent its redeposition on the fabric. Arkolan-66 helps in removing the gum of print paste after printing. Arkolan-66 removes the unfixed dye completely from the fabric resulting in very good wet fastness properties.

Arkolan-66 can be used in washing-off of yarn dyed shirtings.

Arkolan-66 can also be used as an additive in laundry formulations that limits the random dye re-deposition onto the fabric during the wash cycle. Arkolan-66 can be incorporated in powder detergents. It offers an excellent cost / benefit ratio in detergent formulations.

#### Key Features & Benefits

##### Key Features

-----

Anti-tinting washing off agent

Effective dye transfer inhibition during the wash

Can be incorporated in powder detergents

##### Benefits

-----

Very good wet fastness property

Increase the life time of the dyed clothes

Offers excellent cost / benefit ratio in detergent formulations

#### General Characteristics

Physical appearance : Light yellow viscous liquid

Ionic nature : Non ionic

pH of 1% solution : 8 +/- 1

Miscibility : Miscible with water

Compatibility : Compatible with anionic, cationic and nonionic products

Stability : Stable in dilute acid and dilute alkalies

#### Application

Additive in laundry formulations

-----

Recommended dosage : 0.5-1 g/l Arkolan-66



# Sarex Chemicals

(A Divn. Of Saraf Chemicals Pvt. Ltd.)

501 Waterford, C Wing, C.D.Barfiwala Marg(Juhu Lane), Andheri(W),Mumbai 400 058. INDIA

Phone +91 22 42184218 Fax +91 22 42184350

Email : tcmktg@sarex.com URL www.sarex.com

## PRODUCT LITERATURE

### ARKOLAN-66

Washing-off of printed fabric  
-----

Printing --> Drying --> Steaming --> Washing with 1-2 g/l Arkolan-66 at 60 deg.C, 10 min.

#### Precautions

Storage : Store in cool, ventilated shed away from heat and direct sunlight.Storage temperature should not exceed 35 deg C.Close lids firmly to avoid contact with air and moisture.

Shelf Life : 9 months from the date of manufacturing, if stored under controlled conditions.

[The above information is given in good faith and is without warranty]  
[ Prod.Code :PA231 | Last Upd. On : 14/01/17 ] [MOLL]

This is a computer generated report. Hence not signed.