



Sarex Chemicals

(A Divn. Of Saraf Chemicals Pvt. Ltd.)

501 Waterford, C Wing, C.D.Barfiwala Marg(Juhu Lane), Andheri(W),Mumbai 400 058. INDIA

Phone +91 22 42184218 Fax +91 22 42184350

Email : tcmktg@sarex.com URL www.sarex.com

PRODUCT LITERATURE

SARASOL-AMC

Product Information

Sarasol-AMC is a synthetic, anti-migrating agent developed for continuous dyeing of cotton, polyester/cotton as well as polyester/viscose fabrics with disperse, reactives, vat and sulphur dyes by pad-dry-develop method. It increase the viscosity of pad liquor thereby increasing wet pick up. It prevents migration of dyestuffs during intermediate drying so that shade variation in front & back as well as centre-selvage is prevented. Sarasol-AMC does not interfere in shade development and can be easily washed-off.

Key Features & Benefits

Key Features

High viscosity with lowest anionicity

Anti-migrating agent

Easy wash-off

Benefits

Suitable for reactive, disperse pigment and vat for continuous dyeing.

Prevents centre selvage, face-back variation

Does not interfere in subsequent processing

General Characteristics

Physical appearance : Colourless to light yellow viscous liquid
Ionic nature : Anionic
pH of 1% solution : 7 +/-1
Miscibility : Miscible in water
Compatibility : Compatible with anionic & nonionic products
Stability : Stable to dilute acids & dilute alkalies

Application

5-10 g/l Sarasol-AMC
depending upon dyestuffs and drying conditions



Sarex Chemicals

(A Divn. Of Saraf Chemicals Pvt. Ltd.)

501 Waterford, C Wing, C.D.Barfiwala Marg(Juhu Lane), Andheri(W),Mumbai 400 058. INDIA

Phone +91 22 42184218 Fax +91 22 42184350

Email : tcmktg@sarex.com URL www.sarex.com

PRODUCT LITERATURE

SARASOL-AMC

Note:

- * Take required quantity of Sarasol-AMC and add in 10-20 times its volume of soft warm water with gentle stirring. Filter the solution and discard insoluble residues if any. Prepare dyestuffs solution/dispersion and chemicals separately and then add in solution of Sarasol-AMC. Filter once again and make to the required volume using soft water.
- * Sarasol-AMC is not suitable for continuous method of pigment dyeing.

Precautions

- Storage : Store in cool, ventilated shed away from heat and direct sunlight. Storage temperature should not exceed 35 deg C. Close lids firmly to avoid contact with air and moisture.
- Shelf Life : 9 months from the date of manufacturing, if stored under controlled conditions.

[The above information is given in good faith and is without warranty]
[Prod.Code :PY048 | Last Upd. On : 14/03/15] [MOLL]

This is a computer generated report. Hence not signed.