



# Sarex Chemicals

(A Divn. Of Saraf Chemicals Pvt. Ltd.)

501 Waterford, C Wing, C.D.Barfiwala Marg(Juhu Lane), Andheri(W),Mumbai 400 058. INDIA

Phone +91 22 42184218

Fax +91 22 42184350

Email : tcmktg@sarex.com

URL www.sarex.com

## PRODUCT LITERATURE

### SARAPRINT-AC

#### Product Information

Saraprint-AC is a melamine formaldehyde based resin used for finishing of interlining fabrics to impart a durable stiff handle. It is particularly effective for prints taken on knitted, cellulosic fabrics, polyester/cotton, polyester/viscose and polyamides. Addition of Saraprint-AC to a pigment paste enhances its fastness properties especially scrub fastness and wet rubbing fastness.

It is also used for imparting stiff handle to polyester fabrics and its blends.

#### Key Features & Benefits

##### Key Features

-----

Cross-linking polymer

Higher dosage gives stiff finish.

##### Benefits

-----

Improvement in dry, wet and scrub rub fastness of pigment prints

Finishing of cotton inter-lining.

#### General Characteristics

Physical appearance : Colourless viscous liquid

Ionic nature : Nonionic

pH of 1% solution : 7 +/- 1

Miscibility : Readily miscible with water

Compatibility : Compatible with anionic, cationic and nonionic products

Stability : Stable to dilute acids & dilute alkalies

#### Application

1. In pigment printing:

1-3% Saraprint-AC can be added in paste made from either kerosin emulsion or synthetic polymers.

2. Finishing of cotton, polyester, polyamide and their blends



# Sarex Chemicals

(A Divn. Of Saraf Chemicals Pvt. Ltd.)

501 Waterford, C Wing, C.D.Barfiwala Marg(Juhu Lane), Andheri(W),Mumbai 400 058. INDIA

Phone +91 22 42184218 Fax +91 22 42184350

Email : tcmktg@sarex.com URL www.sarex.com

## PRODUCT LITERATURE

### SARAPRINT-AC

10-30 g/l Saraprint-AC  
pH 5-6, pick up 60-70% by pad-dry-cure method.

#### Precautions

Storage : Store in cool, ventilated shed away from heat and direct sunlight.Storage temperature should not exceed 35 deg C.Close lids firmly to avoid contact with air and moisture.

Shelf Life : 9 months from the date of manufacturing, if stored under controlled conditions.

[The above information is given in good faith and is without warranty]  
[ Prod.Code :PS736 | Last Upd. On : 16/08/10 ] [MOLL]

This is a computer generated report. Hence not signed.