

Corporate Office: 501, Waterford, C Wing, C. D. Barfiwala Marg, Juhu Lane, Andheri (W), Mumbai - 400 058, India.

Phone: +91(22) 6128 5566 / 4218 4218, Fax: +91(22) 4218 4350.

Web: www.sarex.com • Email: fchem@sarex.com

## **APPOLO-1000**

1. STRUCTURE

#### 2. PRODUCT NAME & DETAILS

Bis[2-[4-(4,6-diphenyl-1,3,5-triazine-2-yl)-3-hydoxyphenoxy]ethyl]dodacenedioate (Appolo-1000)

Product Code : 010136

CAS No. : 1482217-03-7

HS Code : 2933.69.90

Molecular formula :  $C_{58}H_{56}N_6O_8$ 

Molecular weight : 965.1

#### 3. REGULATORY INFORMATION

Chemical name	Common names and synonyms	CAS number	EC number
Bis[2-[4-(4,6-diphenyl-1,3,5 -triazine-2-yl)-3-hydoxyphenoxy] ethyl] dodacenedioate	1,12-bis[2-[4-(4,6-diphenyl-1,3,5-triazin -2-yl)-3-hydroxyphenoxy]ethyl] ester Dodecanedioic acid	1482217-03-7	
European Inventory of Existing Commercial Chemical Substances (EINECS)		Not Listed	
EC Inventory		Not Listed	
United States Toxic Substances Control Act (TSCA) Inventory		Not Listed	
China Catalog of Hazardous chemicals 2015		Not Listed	
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)		Not Listed	
Korea Existing Chemicals List (KECL)		Listed	
Canadian Domestic Substance List (DSL)		Listed	
Canadian Non-Domestic Substance List (NDSL)		Not Listed	
Japanese Existing and New Chemical Substances Inventory (ENCS)		Not Listed	

#### Disclaimer



Corporate Office: 501, Waterford, C Wing, C. D. Barfiwala Marg, Juhu Lane, Andheri (W), Mumbai - 400 058, India.

Phone: +91(22) 6128 5566 / 4218 4218, Fax: +91(22) 4218 4350. Web: www.sarex.com • Email: fchem@sarex.com

## **APPOLO-1000**

#### 4. SPECIFICATION

Physical Appearance : Pale Yellow Powder

Purity : NLT 95%


Volatiles : NMT 1%

Transmittance (%) 460 NM : NLT 90.0%

Transmittance (%) 500 NM : NLT 95.0%

Gardner : NMT 2.0

#### 5. TGA CURVE



#### 6. APPLICATION

: Appolo-1000 is Hydroxy phenyl triazine UV absorber which has very low volatility at high process temperature.

It is used in Polycarbonate, polyethylene terepthalates etc.




Corporate Office: 501, Waterford, C Wing, C. D. Barfiwala Marg, Juhu Lane, Andheri (W), Mumbai - 400 058, India. Phone: +91(22) 6128 5566 / 4218 4218, Fax: +91(22) 4218 4350.

Web: www.sarex.com • Email: fchem@sarex.com

## **APPOLO-1000**

#### 7. SPECTRAL TRANSMISSION



APPOLO-1000 0.001% (Toluene cell thickness=1 cm) - RawData
APPOLO-1000 0.002% (Toluene cell thickness=1 cm) - RawData
APPOLO-1000 0.004% (Toluene cell thickness=1 cm) - RawData
APPOLO-1000 0.006% (Toluene cell thickness=1 cm) - RawData
APPOLO-1000 0.008% (Toluene cell thickness=1 cm) - RawData

**8. HAZARD CLASSIFICATION** : Non Hazardous material.



**9. ANNUAL CAPACITY** : 50 MT.



Corporate Office: 501, Waterford, C Wing, C. D. Barfiwala Marg, Juhu Lane, Andheri (W), Mumbai - 400 058, India.

Phone: +91(22) 6128 5566 / 4218 4218, Fax: +91(22) 4218 4350.

Web: www.sarex.com • Email: fchem@sarex.com

## APPOLO-1000

10. STORAGE CONDITION : Stored in closed container at ambient temperature. Avoid direct sunlight.

11. PACKING DETAILS : 300 kg in big bag with PE Liner.

12. SHELF LIFE : 3 years.