

501 Waterford, C Wing, C.D.Barfiwala Marg(Juhu Lane), Andheri(W),Mumbai 400 058. INDIA

Phone +91 22 42184218 Fax +91 22 42184350

Email : tcmktg@sarex.com URL www

URL www.sarex.com

PRODUCT LITERATURE

SARADYE-M

Product Information

Saradye-M is a special formulation for dyeing of reactive dyes and vat dyes by exhaust as well as pad application. Saradye-M improves the solubility of reactive dyes under adverse conditions of dyeings such as low liquor ratio, poor quality of salt, hardness in water, poor solubility of dyestuff. Use of urea can be eliminated by addition of Saradye-M. Hence, BOD values of the effluent can be reduced considerably. Apart from improving the solubility of reactive dyes, it also eliminates mineral impurities from the fibre. Saradye-M also act as a dyebath conditioner and levelling agent particularly for package dyeing.

Key Features & Benefits

Key Features	Benefits
Solubilising action	Prevents precipitation of low solubility reactive dyes in package dyeing and at low MLR.
Reduces strike rate	Uneven dyeing with incompatible dyes can be minimised
Dispersing action	Conventional dyebath conditioners can be eliminated
Does not affect colour value or tone	Recipe correction not require
Low foaming	Suitable for jet and package dyeing

General Characteristics

Physical appearance Ionic nature	: Clear to turbid brownish liquid : Anionic
pH of 1% solution	: 8 +/- 1
Misicibility	: Miscible with water
Compatibility	: Compatible with anionic and non-ionic products
Stability	: Stable to dilute acids, dilute alkalies, salt commonly used in reactive dyeing.



501 Waterford, C Wing, C.D.Barfiwala Marg(Juhu Lane), Andheri(W),Mumbai 400 058. INDIA

Phone +91 22 42184218 Fax +91 22 42184350

Email : tcmktg@sarex.com URL www

URL www.sarex.com

PRODUCT LITERATURE

SARADYE-M

Application

1. Exhaust process

```
0.5 - 2 g/l Saradye-M
Can be added in the dyebath depending upon quality of water,
amount of dyestuffs, quality of dyestuffs & quality of salt
Half the quantity of Saradye-M can be added while dissolving
the dyestuffs and balance quantity can be added in the dye-
bath.
```

2. Continuous dyeing

3-6 g/l Saradye-M is recommended in the pad liquor for uniformity of the dyeing as well as good bath stability. Half the quantity of Saradye-M can be added while dissolving the dyestuffs and balance quantity can be added in the padding liquor.

 Grey dyeing of cotton yarn & knits in medium and dark shades with reactive dyes

0.5-1.0 g/l Celldet-R 0.3-0.5 g/l Saraquest-W Treat at 85 deg.C for 15-20 min., cool the bath below required dyeing temperature, add 1 g/l Saradye-M Circulate for 5 mins. and carry out isothermal dyeing as recommended by dyestuff manufacturer.

Note:

Product may show slight settlement on keeping for long time. Stir well before use if any settlement.

Precautions

Storage	:	Store in cool, ventilated shed away from
		heat and direct sunlight.Storage temperature
		should not exceed 35 deg C.Close lids firmly
		to avoid contact with air and moisture.
Shelf Life	:	9 months from the date of manufacturing, if
		stored under controlled conditions.



501 Waterford, C Wing, C.D.Barfiwala Marg(Juhu Lane), Andheri(W),Mumbai 400 058. INDIA

Phone +91 22 42184218 Fax +91 22 42184350

Email : tcmktg@sarex.com UF

URL www.sarex.com

PRODUCT LITERATURE

SARADYE-M

[The above information is given in good faith and is without warranty] [Prod.Code :PY087 | Last Upd. On : 30/06/18] [MOLL]

This is a computer generated report. Hence not signed.