

501 Waterford, C Wing, C.D.Barfiwala Marg(Juhu Lane), Andheri(W),Mumbai 400 058. INDIA

Phone +91 22 42184218 Fax +91 22 42184350

Email tcmktg@sarex.com URLwww.sarex.com

PRODUCT LITERATURE

ITAWASH-LT (CONC)

Product Information

Itawash-LT (Conc) is a concentrated low temperature washing-off agent for Reactive dyes. Itawash-LT (Conc) reduces time, energy and water against conventionally used washing-off agent. Itawash-LT (Conc) improves the fastness properties of the dyed substrate.

Key Features & Benefits

Key Features	Benefits
Low temperature washing-off agent	Works at 40-45 deg.C
Single bath washing got dark shades	Reduction in time, energy, water and effluent load

General Characteristics

Physical appearance : Colourless viscous liquidIonic nature : CationicpH of 1% solution : 5 +/- 1Miscibility : Miscible with waterCompatibility : Compatible with cationic and nonionic productsStability : Stable in dilute acid and dilute alkalies

Application

Washing at low temperature: Itawash-LT (Conc) : 0.8-1 % Bath pH : 4.5-5.3 Temp. : 40-45 deg.C Time : 20 min [I] Process sequence for Batchwise operation: After dyebath drain 1. Cold Wash for 10 min. and drain 2. Warm Wash at 50 deg.C for 10 min. and drain



Sarex Chemicals

(A Divn. Of Saraf Chemicals Pvt. Ltd.)

501 Waterford, C Wing, C.D.Barfiwala Marg(Juhu Lane), Andheri(W),Mumbai 400 058. INDIA

Phone +91 22 42184218 Fax +91 22 42184350

Email tcmktg@sarex.com URLwww.sarex.com

PRODUCT LITERATURE

ITAWASH-LT (CONC)

3. Neutralize with acetic acid. Adjust the bath pH 5.0-6.0. Run for 5 min. Then raise temp to 60 deg.C, run for 10 min. and drain. 4. Warm Wash with 0.5% Nonionic wetting agent at 60 deg.C for 10 min. and drain 5. Cold Wash for 10 min. and drain 6. Adjust the bath pH 5.0-6.0, run 5 min, check pH, then add 0.8-1% Itawash-LT (Conc) (dosing for 20 min) maintain temp. to 40-45 deg.C, continue for 20-30 min and then drain. Note: * Single bath washing recommended for dark shades. * Double bath washing recommended for orange, bottle green, turquoise and royal blue shades. Dosage of Itawash-LT (Conc) (18%) will be 2% & 1%. [II] Process sequence for Continuous operation: ------1st chamber - Cold wash 2nd chamber - Cold wash 3rd chamber - Neutralizing with Acetic acid at 60 deg.C 4th chamber - Treatment with 2 ml/kg Nonionic wetting agent at 60 deg.C 5th chamber - Cold wash 6th chamber - Treatment with 0.5 ml/kg Itawash-LT (Conc) at pH 5.0-6.0 at 45 deg.C 7th chamber - Treatment with 1 ml/kg Itawash-LT (Conc) at pH 5.0-6.0 at 45 deg.C 8th chamber - Cold wash

Instructions For Dilution

Procedure to prepare 18% Itawash-LT (Conc)

- Take 45 parts of Itawash-LT (Conc)
- To this, gradually add 55 parts of DM water
- Stir continuously to get homogenous product

Preservation: It is recommended to add 0.1% Bronopol (2-Bromo, 2-nitropropane, 1,3-diol) or Methyl Paraben (methyl para hydroxy benzoate) as an antimicrobial agent to avoid fungal/microbial growth. It is advisable to utilize the diluted product within 2 months. Stir well before use.



501 Waterford, C Wing, C.D.Barfiwala Marg(Juhu Lane), Andheri(W),Mumbai 400 058. INDIA

Phone +91 22 42184218 Fax +91 22 42184350

Email tcmktg@sarex.com URLwww.sarex.com

PRODUCT LITERATURE

ITAWASH-LT (CONC)

Precautions

Storage	: Store in cool, ventilated shed away from
	heat and direct sunlight. Storage temperature
	should not exceed 35 deg C. Close lids firmly
	to avoid contact with air and moisture.
Shelf Life	: 9 months from the date of manufacturing, if

stored

under controlled conditions.

[The above information is given in good faith and is without warranty] [Prod.Code : L009146.docx | Last Upd. On : 29/04/22] [PVR]

This is a computer generated report. Hence not signed.